Lycaenidae

- 13. Lycaena phlaeas Linnaeus. Generally distributed and common. Very numerous at Arni.
- 14. Polyommatus icarus Rottemburg. A fair number captured at Fellos, always associated with a species of vetch.

Hesperiidae

- 15. Carcharodus alceae Esper. A small number captured at Arni and at Fellos.
- 16. Carcharodus orientalis Reverdin. A small number of males captured at Fellos. Confirmed by the genitalia.
- 17. Thymelicus acteon Rottemburg. Generally distributed and not uncommon.

Of all the species recorded, undoubtedly the most remarkable one is *Argymnis paphia*, a butterfly which somehow managed to establish itself and survive on Andros. I don't believe this species has ever been reported from any of the other Cycladic islands.

References

Coutsis, J. G., 1976. Spring Butterflies on the island of Skyros, Greece. *Entomologist's Rec.*, **88**: 33-37.

Coutsis, J. G., 1978. Spring Butterflies on the Greek island of Sifnos. *Entomologist's Rec.*, **90**: 300-301.

Coutsis, J. G., 1981. Spring Butterflies on the Greek islands of Paros and Siphnos. *Entomologist's Rec.*, **93**: 154-156.

Polunin, O., 1980. Flowers of Greece and the Balkans. Oxford University Press, Oxford.

LITHOSIA QUADRA L.: FOUR-SPOTTED FOOTMAN AND EILEMA COMPLANA L.: SCARCE FOOTMAN, IN SOUTH WESTMORLAND (VC Fifteen Lithosia quadra in four nights: July 69) IN 1984. _ 28-29th (three), 29-30th (two), July 31st-Aug. 1st. (nine), Aug. 1st.-2nd (one), appears to be the biggest migration of this species, so far north, as recorded on the distribution map in Heath, Moths & butterflies of Gt. Britain & Ireland. All were males in immaculate condition, and only two entered the M.V. trap which I operate every night, close to the white walls of my house, which act as a sheet. During this short period, 221 Eilema lurideola were counted, the normal average here. In the early hours of Aug. 2nd. before switching the M.V. light off, with a minimum night temperature of 13c. and rain falling, the walls were plastered with moths, and among them were numerous Footmen, one with folded wings, which I instantly recognised as a species I have been on the lookout for, during the seventeen years here, Eilema complana or perhaps E. sericea Gregson. Comparing it with my complana specimens taken in Hampshire, it was identical in every detail with these. This species has been recorded before in V.C. 69, but is at about its northern limit. — BRIGGS, 5 Deepdale Close, Beetham, Cumbria LA7 7AY.